# JH CRUZE Series II

## JH Cruze Series II Service/Warranty Booklet

This supplement provides warranty information and service schedule including coupons for JH Cruze series models.

This supplement should be kept, together with the Owner's Handbook, in the glove box of your vehicle.

**Vehicle identification certificate**

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Tyre size fitted Wheel size fitted

Registration number Engine number

Odometer reading

Date of purchase

Selling retailer's stamp and signature

GM Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

**Change of name, address or ownership**

In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the forms at the beginning of this handbook.

For information about GM Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au

Printed in Australia
**Part No. 92244306**
July 2011 (MY11 JH Cruze Service/Warranty Booklet. Print 4)

© 2011 GM Holden Ltd
Reproduction in whole or part is prohibited without written approval from GM Holden Ltd, ABN 84 006 893 232

# Petrol and diesel engines

## IMPORTANT INFORMATION (DIESEL)

Diesel engine models feature an Engine Oil Life System (EOLS) which monitors vehicle usage and driving patterns to maximise the service life of the engine oil – refer to Service information in the Owner's Handbook for further details.

- Change engine oil and filter within 1,000 km when **Change Engine Oil Soon** or **CodE 82** is displayed in the Driver Information Centre (DIC).
- The vehicle must have a maintenance service (incl. oil and filter) at least once every 12 months even if **Change Engine Oil Soon** or **CodE 82** message has not displayed on the DIC.

**Note**

- If **Change Engine Oil Soon** or **CodE 82** is displayed within 5,000 km of the next scheduled maintenance interval, the scheduled service should be performed.
- Engine oil and filter replacement is not required at a scheduled maintenance service if replaced within the past 5,000 km (unless requested by the customer).

Page


Change of address or ownership forms

Vehicle warranty information ..... 1

Servicing..... 10

Maintenance schedule..... 12

Service charges..... 18

Additional service requirements..... 19

Service coupons..... 25


* The asterisk signifies equipment options not in all vehicles; model variants, engine options, optional equipment and Genuine Holden Accessories (and Parts).

## *CHANGE OF ADDRESS OR OWNERSHIP*

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no.

**Place in an envelope and mail to:**

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

## *CHANGE OF ADDRESS OR OWNERSHIP*

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no.

**Place in an envelope and mail to:**

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

## *CHANGE OF ADDRESS OR OWNERSHIP*

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no.

**Place in an envelope and mail to:**

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

# *NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE*

## New Vehicle Voluntary Warranty Application

This Voluntary Warranty is given by GM Holden Ltd., ABN 84 006 893 232, ('Holden') 191 Salmon St, Port Melbourne Victoria 3207. Holden Customer Assistance, Australia: 1800 033 349, New Zealand: 0800 465 336. The Voluntary Warranty applies to the vehicle identified on the inside front cover of this service booklet. It is provided to the original and subsequent owners/operators driving the vehicle within Australia during the Voluntary Warranty Period.

This benefits conferred by this Voluntary Warranty are in addition to other rights and remedies available to you under consumer protection laws (including those under the *Competition and Consumer Act 2010)*, which cannot be excluded or limited (referred to as Statutory Rights). This Voluntary Warranty in no way limit or restrict your rights or remedies under such Statutory Rights.

## Australian vehicles

This Voluntary Warranty is only applicable to vehicles purchased and operated in Australia.

This Voluntary Warranty does not apply for Holden vehicles exported or operated outside Australia. Similarly, this Voluntary Warranty is not provided for Holden vehicles purchased overseas and imported into Australia.

## New Zealand vehicles

This Voluntary Warranty is only applicable to vehicles purchased and operated in New Zealand. However, this Voluntary Warranty will not apply for Holden vehicles exported and operated outside of New Zealand or for Holden vehicles purchased outside of New Zealand and imported into New Zealand.

## Voluntary Warranty repairs covered

Subject to your non-excludable Statutory Rights and the exclusions shown on the following page, this Voluntary Warranty covers the correction, of any manufacturing defect to materials or Holden workmanship and advised to a Holden Dealer or Authorised Service Outlet, by repair or at Holden's option by replacement.

***NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.***

## Voluntary Warranty period

The coverage under this Voluntary Warranty commences from the date of first registration (or in the case of a demonstrator vehicle the date when the vehicle was first placed into service by the Dealer). This coverage expires at the end of the period of 3 years after the commencement date or after the vehicle has travelled 100,000 kilometres, whichever occurs first.

## No charge

Warranty work performed under this Voluntary Warranty (including parts and labour) will be carried out at no cost to the vehicle owner. However, this work should not be confused with servicing specified in the Maintenance schedule in this service booklet for which a charge is payable.

## Statutory Rights

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

## *NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.*

## *VOLUNTARY WARRANTY EXCLUSIONS*

### Damage

Your Voluntary Warranty does not extend to the following damage: damage caused by an accident, fire, theft or moving objects striking the vehicle (including inside the vehicle); damage as a result of towing; damage caused by industrial fallout, chemicals or sealants; damage caused by atmospheric fallout or flood, hail, salt, etc.



### Maintenance items

Your Voluntary Warranty does not extend to services such as brake adjustment, brake replacement, replacement of filters, wiper rubbers etc., which are required as part of normal vehicle maintenance (refer to the service matrix in this booklet).

### Tyres

The tyres fitted to your vehicle are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.

### Batteries and bulbs

Batteries and bulbs are warranted for 12 months under this Voluntary Warranty.



### Misuse

This Voluntary Warranty does not cover damage caused by:

(a) misuse or abuse of the vehicle such as by racing, rallying, overloading, etc., or neglect,
(b) operation of the vehicle after the defect is known,
(c) failure to carry out proper maintenance services (refer to the service matrix in this booklet),
(d) use of incorrect types and grades of fuel, oil or lubricants,
(e) alteration or modifications of the vehicle by anyone not authorised by Holden,
(f) fitting of parts or accessories not recommended by Holden,
(g) any work carried out on the vehicle by anyone except an Authorised Holden Dealer or Authorised Service Outlet.

## *PARTS AND ACCESSORIES VOLUNTARY WARRANTY*

**Holden voluntarily warrants Holden approved Parts and Accessories ('Parts' and 'Accessories') for the periods and on the conditions set out below. The Voluntary Warranty covers the correction, during the relevant Voluntary Warranty Period, of defects in any such Parts and Accessories, by repair or at Holden's option by replacement.**

This Parts and Accessories Warranty is in addition to other rights and remedies available to you under your Statutory Rights, which cannot be excluded or limited. This Voluntary Warranty in no way limits or restricts or remedies under such Statutory Rights.

### Accessories installed to the new vehicle

Holden approved Accessories installed by a Holden Dealer or Authorised Service Outlet, to the new vehicle, at the time of purchase, are covered together with the New Vehicle Voluntary Warranty for the period of 3 years or 100,000 km, whichever occurs first.

### Parts and Accessories installed after new vehicle delivery by a Holden Dealer or Authorised Service Outlet

Parts and Accessories installed after a new vehicle delivery by a Holden Dealer or Authorised Service Outlet, are covered under this Voluntary Warranty for 2 years or 50,000 km (whichever occurs first). If the vehicle is still within the New Vehicle Voluntary Warranty, the Parts and Accessories are covered by the longer of:

- 2 years/50,000 km (whichever occurs first), or
- the end of the New Vehicle Voluntary Warranty.

As an example, an Accessory installed in a 7 month old vehicle would be covered until the end of the New Vehicle Voluntary Warranty. An accessory installed in a 2½ year old vehicle would be covered until the end of 4½ years or a further 50,000 km from when the Accessory was installed.

## *PARTS AND ACCESSORIES VOLUNTARY WARRANTY cont.*

### Purchased at retail or trade

Holden approved parts and/or accessories purchased at trade or retail and installed by OTHER than a Holden Dealer, Branch or Holden Service Centre, are warranted under this Voluntary Warranty for 2 years or 50,000 km (which ever occurs first) from the date of purchase. Adequate proof of purchase must be provided to support warranty claims under this Voluntary Warranty. As with all Holden voluntary warranties, the benefits to you are in addition to your non-excludable Statutory Rights and failures attributed to normal wear and tear, misuse or abuse, incorrect fitment or poor workmanship undertaken by someone other than a Holden Dealer, Branch or Holden Service Centre will not be covered.

Major powertrain components and various sub components must have odometer readings recorded at date of installation (on the dealer invoice or the repair order or invoice of the installer of the component) to support a voluntary warranty claim.

Labour costs of a repairer other than a Holden Dealer, Branch or Holden Service Centre to replace a failed part are not covered by this voluntary warranty and subject to your non-excludable Statutory Rights, will not be reimbursed.

### Parts and accessories voluntary warranty exclusions

Tyres are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.

Batteries are warranted under this Voluntary Warranty for 12 months from date of purchase.

Excluded from this Voluntary Warranty are items which are anticipated to require replacement within the voluntary warranty period as a consequence of wear and/or normal vehicle maintenance including, but not limited to, filters, spark plugs, globes, wiper blades etc..., in which case a 12 month voluntary warranty covering manufacturing defect shall apply.

## *VOLUNTARY WARRANTY QUESTIONS AND ANSWERS*

This section is designed to assist you to understand the Holden Voluntary Warranty provided with your new vehicle which is in addition to your Statutory Rights which cannot be excluded, limited or restricted by this Voluntary Warranty.

The following are some of the most frequently asked questions for which detailed answers are provided.

**Q 1. How do I go about obtaining Holden Voluntary Warranty service?**

It is the responsibility of the Selling Dealer to provide Holden Voluntary Warranty service, therefore, you should take your vehicle to the Selling Dealer whenever Holden Voluntary Warranty service is needed. However, if this is not possible, you may go to any other Authorised Holden Dealer. The details recorded inside the front cover of this service booklet will be required by the Dealer.

**Q 2. What should I do if my vehicle becomes unsafe or inoperative as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty?**

You should contact the nearest Authorised Holden Dealer or Holden Roadside Assistance as soon as possible, and arrange for that Dealer to carry out the required Holden Voluntary Warranty Service.

**Q 3. What should I do if, in an emergency, Holden Voluntary Warranty Service is required and an Authorised Holden Dealer is not available to provide such service at the time?**

Subjeat to your Statutory Rights, if, in an emergency, a repair, replacement or adjustment (covered by the Holden New Vehicle Voluntary Warranty) is required to enable your vehicle to be operated safely and it is not practical for you to go to an Authorised Holden Dealer, the service (to the extent that it is necessary to enable your vehicle to be operated safely) may be performed by any other qualified mechanic or repairer. A claim for the reasonable cost may be made under the Holden Warranty through the Authorised Holden Dealer who would normally provide you with Holden Voluntary Warranty service. You must also take your vehicle to the Authorised Holden Dealer for inspection of the service and/or completion of any required Holden Voluntary Warranty service, as soon as possible.

**Note** During normal business hours, you should seek authorisation from your nearest Authorised Holden Dealer or Holden Customer Assistance Service, prior to repairs under your Voluntary Warranty being commenced.

## *VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.*

**Q 4. Are damage or injury, loss of time, inconvenience, commercial or other direct or indirect loss covered by the Holden Voluntary Warranty?**

No, these items are not covered under the Holden Voluntary Warranty. Holden Voluntary Warranty only covers the repair, replacement or adjustment of those parts of your vehicle which are found to be defective in materials or workmanship. No other types of claim for compensation of any kind, even if the same resulted from a consequence of a defect in materials or workmanship in your vehicle, will be recognised under the Holden New Vehicle Voluntary Warranty.

You may have rights under your non-excludable Statutory Rights to claim compensation or other remedies outside of the Holden New Vehicle Voluntary Warranty, but any claim based on those rights should be separately pursued.

## *VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.*

**Q 5. Will I have to pay for maintenance costs during the Voluntary Warranty Period?**

Maintenance costs are not covered by the Holden New Vehicle Voluntary Warranty. The Maintenance schedules in this service booklet specify the minimum maintenance required for your vehicle operating under normal conditions.

Subject to your Statutory Rights, the Maintenance items (except where they are required as a result of defects in materials or workmanship) for which you will have to pay include:

- Engine tune-up, including spark plugs replacement.
- Replacement of all filters, engine and other belts, hoses, wiper blades and clutch linings.
- Cleaning or flushing of fuel, coolant, brake, engine, transmission, power steering etc., after 3,000 km.
- Carbon and sludge removal.
- Maintenance servicing of emission control system devices.
- Adding to (or replacing) lubricants.
- Adding to (or replacing) air conditioning refrigerant, after 3,000 km.
- Any necessary adjustments to drive belts, transmission, clutch, park brake etc.
- Wheel balancing – after 3,000 km.
- Wheel alignment.
- De-dusting or de-glazing of brake linings or pads – after 3,000 km.
- Brake pad/lining wear or damaged brake components due to brake/pad lining wear.
- Clutch lining wear or damaged clutch components due to lining wear.
- Brake disc pad or disc wear.
- Key remote control battery replacement.
- Battery recharging.
- Paint, bright metal finish and trim, due to normal deterioration.
- Body panel adjustment – after 3,000 km.
- Door, or bonnet lock adjustments.
- Glass or channel adjustments – after 3,000 km.
- Body rattle, squeaks and general tightening of bolts, fasteners and fittings – after 3,000 km.
- Chipped glass or breakage.
- Torn or damaged floor mats or carpets.
- Normal wear and tear to trim components.

## *VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.*

**Q 6. Are my tyres covered by the Holden New Vehicle Voluntary Warranty?**

No. The tyres fitted to your vehicle may be covered by a separate voluntary warranty provided by the tyre manufacturer or under your non-excludable Statutory Rights. Any Authorised Holden Dealer will assist you by discussing any queries which you might have with respect to the tyre manufacturer's voluntary warranty, with the tyre manufacturer's representative.

**Q 7. Will I have to pay for any costs or expenses in connection with the provision of Holden Voluntary Warranty service?**

All parts and labour used in carrying out Holden Voluntary Warranty service at the premises of the servicing Holden Dealer, are free of charge. Whenever Holden Voluntary Warranty service is to be carried out by the servicing Holden Dealer it is your responsibility to deliver your vehicle to the servicing Holden Dealer's premises.

If, as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty, your vehicle cannot be driven safely and you arrange for the nearest Authorised Holden Dealer to carry out the required Holden Voluntary Warranty service, Holden will accept reasonable towing costs to move your vehicle to the nearest Holden Dealer's premises. Before employing a towing company, contact the nearest Holden Dealer or Holden Roadside Assistance Service or Holden Customer Assistance Service to obtain guidance.

**Q 8. Would my vehicle's engine benefit from fuel additives, oil additives or coolant additives not marketed by Holden?**

The use of break-in oil, tune-up compounds, friction-reducing compounds and other supplemental additives is not recommended. Your vehicle has been designed, developed and tested by the manufacturer without the use of these additives. Any negative impact or consequences due to the use of additives may affect the validity of your New Vehicle Voluntary Warranty.

Only the fluids and lubricants referred to in the owners handbook should be used.

## Unauthorised statements in relation to Holden products

No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance, characteristics, descriptions or fitness for any purpose of any Holden product or in connection with the supply of any Holden product, which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden in its published sales literature, and Holden does not accept any responsibility for such unauthorised action.

## *SERVICING*

### The free first inspection

The 3,000 km inspection is performed free of charge by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a letter of authority or similar.

The Selling Dealer may supply this authorisation upon request.

### Determining the proper service interval

The operating conditions of your vehicle determine the service interval. Refer to *Additional service requirements* further on in this booklet. Use the odometer reading or the time interval, whichever occurs first, to determine when the service is due.

Under certain operating conditions, your Holden may require additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine and/or transmission fluids and the more frequent inspection of steering, suspension and brake system components.

Also, brake fluid deteriorates with time and should normally be replaced every two years. However, heavy duty towing places a higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing.

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

If you drive less than 15,000 km in a 12 month period, some oils may require changing more frequently. Engine oil can deteriorate faster than normal if the engine is operated in significantly hot or cold conditions or if driving in unusual environments (for example, high dust levels).

### Engine oil life system

On diesel models, if **Change Engine Oil Soon** or **CodE 82** appears in the Driver Information Centre (DIC), the engine oil and filter must be replaced within 1,000 km and the EOLS reset. The engine oil and filter change should be recorded on the Additional service coupon, pages 21-23.

**Note**

If **Change Engine Oil Soon** or **CodE 82** appears in the DIC within 5,000 km of the next scheduled maintenance interval, the scheduled service should be performed, the engine oil and filter changed, and the EOLS reset. Record on the applicable coupon stub (pages 25-53).

## ***SERVICING cont.***

### Service coupons

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of voluntary warranty claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210,000 km service. After that time, the Maintenance schedule further on in this booklet should be followed, commencing with the 15,000 km service.

### Additional service requirements

If you are driving your vehicle outside of the normal driving operations, you may need to conduct additional servicing. A service coupon and criteria for these additional services can be found in the additional service requirements section of this booklet.

### Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Voluntary Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

### Voluntary Warranty and service

Subject to your non-excludable Statutory Rights, all maintenance services listed in this handbook, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Voluntary Warranty to be rectified of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out in accordance with Holden's specifications may void your New Car Voluntary Warranty. As a result, it is strongly recommended that such services be carried out by an authorised Holden Dealer or Authorised Service Outlet and that you read the New Vehicle Voluntary Warranty section previously in this booklet, so that you are aware of the voluntary warranty exclusions.

## ***MAINTENANCE SCHEDULE***

| x 1,000 km or | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
|---|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 3 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Under bonnet** | | | | | | | | |
| #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel). | - | X | X | X | X | X | X | X |
| Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level is low). | X | X | X | X | X | X | X | X |
| Drive belts – inspect. | - | X | X | X | X | X | X | X |
| Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps. | X | X | X | X | X | X | X | X |
| Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. | X | X | X | X | X | X | X | X |
| Drain & refill cooling system with recommended inhibitor & clean fresh water. Clean the outside of the radiator & A/C condenser. | Change required every 60 months (regardless of kms). | | | | | | | |
| *Inspect pollen filter. | - | - | - | X | - | - | X | - |
| Inspect air filter element. | - | X | X | X | - | X | X | X |
| *Replace air filter. | - | - | - | - | X | - | - | - |
| Replace timing belt, tensioner, idler & roller. Inspect crank gear (1.8L petrol). | - | - | - | - | - | - | - | - |
| Replace spark plugs (1.8L petrol). | - | - | - | - | X | - | - | - |
| Replace spark plugs (1.4L petrol). | - | - | - | - | - | - | - | - |
| *Diesel fuel filter - drain water. | Drain every 12 months (regardless of kms). | | | | | | | |
| Diesel fuel filter - replace. | - | - | - | - | X | - | - | - |
| Check/adjust valve clearance (1.8L petrol). | - | - | - | - | - | - | - | - |

Maintenance schedule continued next page.
*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.
#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## ***MAINTENANCE SCHEDULE cont.***

| x 1,000 km or | 120 | 135 | 150 | 165 | 180 | 195 | 210 |
|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Under bonnet** | | | | | | | |
| #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel). | X | X | X | X | X | X | X |
| Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level is low). | X | X | X | X | X | X | X |
| Drive belts – inspect. | X | X | X | X | X | X | X |
| Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps. | X | X | X | X | X | X | X |
| Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. | X | X | X | X | X | X | X |
| Drain & refill cooling system with recommended inhibitor & clean fresh water. Clean the outside of the radiator & A/C condenser. | Change required every 60 months (regardless of kms). | | | | | | |
| *Inspect pollen filter. | - | X | - | - | X | - | - |
| Inspect air filter element. | - | X | X | X | - | X | X |
| *Replace air filter. | X | - | - | - | X | - | - |
| Replace timing belt, tensioner, idler & roller. Inspect crank gear (1.8L petrol). | - | - | X | - | - | - | - |
| Replace spark plugs (1.8L petrol). | X | - | - | - | X | - | - |
| Replace spark plugs (1.4L petrol). | - | - | X | - | - | - | - |
| *Diesel fuel filter - drain water. | Drain every 12 months (regardless of kms). | | | | | | |
| Diesel fuel filter - replace. | X | - | - | - | X | - | - |
| Check/adjust valve clearance (1.8L petrol). | - | - | X | - | - | - | - |

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.
#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## ***MAINTENANCE SCHEDULE cont.***

| x 1,000 km or | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
|---|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 3 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Under vehicle** | | | | | | | | |
| *Change automatic transmission fluid. | - | - | - | - | - | - | - | - |
| Check engine & transmission for leaks. | X | X | X | X | X | X | X | X |
| Inspect front & rear disc pads for wear & discs for surface condition. | - | X | X | X | X | X | X | X |
| *Inspect tyres for irregular wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage. | X | X | X | X | X | X | X | X |
| Check wheel nut torque. | X | X | X | X | X | X | X | X |
| *Drain, refill & bleed brake system. Check brake performance during road test. | Change every 24 months (regardless of km) under normal driving conditions. | | | | | | | |
| Drain, refill & bleed clutch system. | Change every 24 months (regardless of km). | | | | | | | |
| Check all brake, fuel lines & hoses for condition, attachment & routing. | X | X | X | X | X | X | X | X |
| *Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers. | X | X | X | X | X | X | X | X |
| Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks. | X | X | X | X | X | X | X | X |
| Inspect all constant velocity joints for damage or torn boots. | X | X | X | X | X | X | X | X |

Maintenance schedule continued next page.

(1) Rotate & balance of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

## ***MAINTENANCE SCHEDULE cont.***

| x 1,000 km or | 120 | 135 | 150 | 165 | 180 | 195 | 210 |
|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Under vehicle** | | | | | | | |
| *Change automatic transmission fluid. | - | - | X | - | - | - | - |
| Check engine & transmission for leaks. | X | X | X | X | X | X | X |
| Inspect front & rear disc pads for wear & discs for surface condition. | X | X | X | X | X | X | X |
| *Inspect tyres for irregular wear or damage. (1) Rotate & balance wheels (if required). Check air pressures & for wheel damage. | X | X | X | X | X | X | X |
| Check wheel nut torque. | X | X | X | X | X | X | X |
| *Drain, refill & bleed brake system. Check brake performance during road test. | Change every 24 months (regardless of km) under normal driving conditions. | | | | | | |
| Drain, refill & bleed clutch system. | Change every 24 months (regardless of km). | | | | | | |
| Check all brake, fuel lines & hoses for condition, attachment & routing. | X | X | X | X | X | X | X |
| *Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers. | X | X | X | X | X | X | X |
| Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks. | X | X | X | X | X | X | X |
| Inspect all constant velocity joints for damage or torn boots. | X | X | X | X | X | X | X |

(1) Rotate & balance of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

## *MAINTENANCE SCHEDULE cont.*

| x 1,000 km or | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
|---|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 3 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Vehicle interior and boot** | | | | | | | | |
| *Check park brake operation & adjust as required. | X | X | X | X | X | X | X | X |
| Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation. | X | X | X | X | X | X | X | X |
| Check the expiry date of the tyre sealant canister✻ & replace if required. | - | X | X | X | X | X | X | X |
| **Vehicle exterior** | | | | | | | | |
| Check operation of all exterior lights. | X | X | X | X | X | X | X | X |
| Inspect wiper blades for wear or cracking. | X | X | X | X | X | X | X | X |
| Check transmitter range of remote control. | X | X | X | X | X | X | X | X |
| Lubricate bonnet catch, hinges & all lock cylinders. | X | X | X | X | X | X | X | X |
| **Road test** | | | | | | | | |
| Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check air conditioner performance. Check neutral start switch. Check for any outstanding safety recalls. | X | X | X | X | X | X | X | X |

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

## ***MAINTENANCE SCHEDULE cont.***

| x 1,000 km or | 120 | 135 | 150 | 165 | 180 | 195 | 210 |
|---|---|---|---|---|---|---|---|
| Cumulative months (whichever occurs first) | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **Vehicle interior and boot** | | | | | | | |
| *Check park brake operation & adjust as required. | X | X | X | X | X | X | X |
| Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation. | X | X | X | X | X | X | X |
| Check the expiry date of the tyre sealant canister✻ & replace if required. | X | X | X | X | X | X | X |
| **Vehicle exterior** | | | | | | | |
| Check operation of all exterior lights. | X | X | X | X | X | X | X |
| Inspect wiper blades for wear or cracking. | X | X | X | X | X | X | X |
| Check transmitter range of remote control. | X | X | X | X | X | X | X |
| Lubricate bonnet catch, hinges & all lock cylinders. | X | X | X | X | X | X | X |
| **Road test** | | | | | | | |
| Check braking, steering, engine response & transmission operation.<br>Check operation of cruise control.<br>Check park pawl operation.<br>Check air conditioner performance.<br>Check neutral start switch.<br>Check for any outstanding safety recalls. | X | X | X | X | X | X | X |

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

## ***SERVICE CHARGES***

### Lubricants and materials

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the service coupons.

### Brake fluid

Must be changed every 24 months (charge added for brake fluid and labour).

### Clutch fluid

Must be changed every 24 months (charge added for clutch fluid and labour).

### Engine coolant

Must be changed every 60 months (charge added for engine coolant and labour).

### Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Voluntary Warranty.

Where any deficiencies are noted, such items should be reported to the owner/operator and the extra work authorised.

### Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

## *ADDITIONAL SERVICE REQUIREMENTS*

The Maintenance schedule previously listed in this booklet, shows the service items for normal driving requirements. Additional service items are required when driving under any of the operating conditions listed below. If you operate the vehicle under any of these conditions on a one off basis, for example a holiday trip, then an additional service should be performed for that time only. The additional service should include all additional service items that apply to the operating conditions.

### Operating conditions

**A** = Dust, dirt, loose road material.
**B** = Muddy and wet areas.
**C** = Cold weather (below 5°C) and when most trips are less than 5 km (petrol).
**D** = Stop-start driving, excessive idling or low speed operation as experienced in inner city driving, for example taxi or door-to-door delivery.
**E** = Caravan or trailer towing.
**F** = Extended heavy load, high speed operation in outside temperatures above 35°C.
**G** = Operating in high humidity areas or substantially varying daytime and night time temperatures (diesel).
**H** = When **Change Engine Oil Soon** or **Code 82** is displayed in the driver information centre (diesel).

### Extra services required

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Change automatic transmission fluid every 75,000 km. | | | | | **E** | **F** | | |
| Inspect front & rear suspension & steering for leaks, wear or damage every 7,500 km. | **A** | **B** | | | | | | |
| Change engine oil every 7,500 km or 6 months (whichever comes first) (petrol). | **A** | | **C** | **D** | **E** | **F** | | |
| Replace engine oil filter every 7,500 km or 6 months (whichever comes first) (petrol). | **A** | | | | | | | |
| Replace air filter every 15,000 km. | **A** | | | | | | | |
| *Change brake fluid every 1 year if towing. | | | | | **E** | | | |
| Change power steering fluid every 60,000 km. | | | | | | **F** | | |
| Replace pollen filter every 15,000 km. | **A** | | | | | | | |
| Drain diesel fuel filter (every 6 months). | | | | | | | **G** | |
| Replace engine oil & filter within the next 1,000 km. Reset Engine Oil Life System (EOLS). | | | | | | | | **H** |

*Brake fluid deteriorates with time and should normally be replaced every two years. However, towing requires fresher fluid due to the higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing.

## *ADDITIONAL SERVICE REQUIREMENTS cont.*

### Additional service charges

- Under vehicle/safety check..... add 0.4 hour
  - Inspect front & rear disc pads for wear.
  - Check all brake, fuel lines & hoses for condition, attachment & routing.
  - Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
  - Inspect all constant velocity joints for damage or torn boots.
  - Check operation of all exterior lights.

- If the automatic transmission fluid is changed ..... add 0.5 hour
- If engine oil is changed..... add 0.2 hour
- If engine oil & filter are changed ..... add 0.3 hour
- If air filter is changed ..... add 0.2 hour
- If brake fluid is changed..... add 0.4 hour
- If power steering fluid is changed ..... add 0.4 hour
- If tyres are rotated ..... add 0.2 hour
- If tyres are rotated and balanced (4 tyres)..... add 0.7 hour
- If the pollen filter is changed..... add 0.2 hour
- If the diesel fuel filter is drained..... add 0.2 hour

## ***ADDITIONAL SERVICE REQUIREMENTS cont.***

### Further servicing required?

As a guide, if you operate your vehicle continually for a period of one month or 1,000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult your Holden Dealer.

### Additional service coupons

These coupons are for recording additional servicing and, engine oil and filter changes as required by the EOLS (diesel). There are more coupons on the following pages.

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

## ***ADDITIONAL SERVICE REQUIREMENTS cont.***

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

## ***ADDITIONAL SERVICE REQUIREMENTS cont.***

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

Date ..... km .....Servicing Dealer .....
Engine oil and filter change: YES/NO
Additional items performed.....
.....

***NOTES***

**3,000 km / 3 months free inspection validation**

This vehicle has been thoroughly checked in accordance with the 3,000 km / 3 month free inspection.

Dealer.....

Service Manager's signature.....

Date.....Odometer reading .....

## *FREE INSPECTION COUPON*

***3,000 km or 3 months***

This coupon should not be removed until the vehicle is presented for service.

Owner's name

*Mr Mrs Miss Other*.....

Address .....

Town .....

State .....Postcode .....

Registration .....Engine no. .....

ISOVIN .....Model.....

**Selling Dealer's stamp and signature**

.....

Date of acquisition.....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

**Servicing Dealer's stamp and signature**

.....

Servicing Dealer .....

Town .....State .....

**Owner's signature** .....

**This inspection is provided free of charge.**

## Under bonnet

- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.

## Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect tyres for irregular wear or damage. Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 15,000 km or 12 months*

- 1.3 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation 15,000 kms or 12 months**

This vehicle has been thoroughly checked in accordance with the 15,000 km/12 month service.

Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO

Servicing Dealer .....

Date of service..... Odometer .....

Signed .....

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 30,000 km or 12 months*

from the last service (whichever occurs first)

- 1.4 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation 30,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 30,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service.....Odometer.....
Signed .....

## Under vehicle continued

- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 45,000 km or 12 months*

from the last service (whichever occurs first)

- 1.4 hours labour (petrol)
- 1.3 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect pollen filter.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation 45,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 45,000 km/12 month service.
Servicing Dealer .....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

HOLDEN DEALER STAMP

## *SERVICE COUPON 60,000 km or 12 months*

from the last service (whichever occurs first)

- 2.1 hours labour (1.8L petrol)
- 1.7 hours labour (1.4L petrol)
- 2.0 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- replace air filter
- replace spark plugs (1.8L petrol)
- replace diesel fuel filter
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Replace air filter.
- ❑ Replace spark plugs (1.8L petrol).
- ❑ Replace diesel fuel filter & drain water.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

**Service validation**
**60,000 kms or**
**12 months**
**Since last service**
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 60,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

## Under vehicle continued

- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 75,000 km or 12 months*

from the last service (whichever occurs first)

- 1.3 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- if engine coolant changed add 0.4 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Coolant: Change every 5 years (regardless of km).
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation 75,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 75,000 km/12 month service.
Servicing Dealer .....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

## Under vehicle continued

- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 90,000 km or 12 months*

from the last service (whichever occurs first)

- 1.5 hours labour (petrol)
- 1.6 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect pollen filter.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation**
**90,000 kms or**
**12 months**
**Since last service**
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 90,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service.....Odometer.....
Signed .....

## Under vehicle continued

- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

**Service validation 105,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 105,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service.....Odometer.....
Signed .....

HOLDEN DEALER STAMP

## *SERVICE COUPON 105,000 km or 12 months*

from the last service (whichever occurs first)

- 1.3 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 120,000 km or 12 months*

from the last service (whichever occurs first)

- 2.1 hours labour (1.8L petrol)
- 1.7 hours labour (1.4L petrol)
- 2.0 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- replace air filter
- replace spark plugs (1.8L petrol)
- replace diesel fuel filter
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Replace air filter.
- ❑ Replace spark plugs (1.8L petrol).
- ❑ Replace diesel fuel filter & drain water.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

**Service validation 120,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 120,000 km/12 month service.
Servicing Dealer .....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

HOLDEN DEALER STAMP

## Under vehicle continued

- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

**Service validation 135,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 135,000 km/12 month service.
Servicing Dealer .....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

HOLDEN DEALER STAMP

## *SERVICE COUPON 135,000 km or 12 months*

from the last service (whichever occurs first)

- 1.4 hours labour (petrol)
- 1.3 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect pollen filter.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 150,000 km or 12 months*

from the last service (whichever occurs first)

- 5.0 hours labour (1.8L petrol)
- 2.2 hours labour (1.4L petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- replace spark plugs (1.4L petrol)
- replace timing belt, tensioner, idler & roller (1.8L petrol)
- check/adjust valve clearance (1.8L petrol)
- replace ATF fluid add 0.5 hour labour
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Replace spark plugs (1.4L petrol)
- ❑ Replace timing belt, tensioner, idler & roller (1.8L petrol).
- ❑ Check/adjust valve clearance (1.8L petrol).
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Coolant: Change every 5 years (regardless of km).
- ❑ Diesel filter: Drain water every year (regardless of km).

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

**Service validation 150,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 150,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer .....
Signed .....

HOLDEN DEALER STAMP

## Under vehicle

- ❑ Change automatic transmission fluid.
- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 165,000 km or 12 months*

from the last service (whichever occurs first)

- 1.3 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

HOLDEN DEALER STAMP

**Service validation 165,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 165,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

## *SERVICE COUPON 180,000 km or 12 months*

from the last service (whichever occurs first)

- 2.2 hours labour (1.8L petrol)
- 1.8 hours labour (1.4L petrol)
- 2.3 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- replace air filter
- replace spark plugs (1.8L petrol)
- replace diesel fuel filter
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect pollen filter.
- ❑ Replace air filter.
- ❑ Replace spark plugs (1.8L petrol).
- ❑ Replace diesel fuel filter & drain water.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

**Service validation 180,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 180,000 km/12 month service.

Servicing Dealer .....

Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A

Date of service..... Odometer.....

Signed .....

HOLDEN DEALER STAMP

## Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

**Service validation 195,000 kms or 12 months Since last service** (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 195,000 km/12 month service.
Servicing Dealer .....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service..... Odometer.....
Signed .....

HOLDEN DEALER STAMP

## *SERVICE COUPON 195,000 km or 12 months*

from the last service (whichever occurs first)

- 1.3 hours labour (petrol)
- 1.2 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## Under vehicle continued

- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

**Service validation**
**210,000 kms or 12 months**
**Since last service**
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 210,000 km/12 month service.
Servicing Dealer.....
Engine oil & filter changed: YES/NO EOLS reset (diesel): YES/NO
Brake fluid changed: YES/NO Coolant changed: YES/NO
Clutch fluid changed: YES/NO/ N/A
Date of service.....Odometer.....
Signed .....

HOLDEN DEALER STAMP

## *SERVICE COUPON 210,000 km or 12 months*

from the last service (whichever occurs first)

- 1.6 hours labour (petrol)
- 1.7 hours labour (diesel)
- #engine oil & filter
- #if engine oil & filter changed add 0.3 hour labour (diesel)
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### Under bonnet

- ❑ #Change engine oil & filter (petrol & diesel) & reset Engine Oil Life System (EOLS) (diesel).
- ❑ Check fluid levels: brake, power steering, clutch & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 2 years (regardless of km).
- ❑ Clutch fluid: Change every 2 years (regardless of km).
- ❑ Diesel filter: Drain water every year (regardless of km).

### Under vehicle

- ❑ Check engine & transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear or damage. Rotate & balance wheels (if required). Check air pressures & for wheel damage.
- ❑ Check wheel nut torque.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.

#Not required if replaced within the past 5,000 km (unless requested by the customer) (diesel).

## Under vehicle continued

- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges & all lock cylinders.

## Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.